SECTION A

Answer any THREE questions from this section.

1.	(a)	List any three:		
		 (i) types of electrical hazards; (ii) effects of exposure to hazardous substances. 	(6 marks)	
	(b)	Explain how the following are used to minimize electrical hazards:	(=======,	
		(i) double insulation;		
		(ii) earthing;		
		(iii) safe voltages.		
		(iii) Sale voilages.	(6 marks)	
	(c)	With regard to the Factory's Act, state any two safety precautions for each following:		
		(i) machinery;		
		(ii) first aid;		
		(iii) fire;		
		(iv) movement at the place of work.		
,	(4)	- Jeolement	(8 marks)	
۷.	(a)	Define the following terms with reference to engineering materials:		
		(i) hardness;		
		(ii) corrosion resistance;		
	•			
		(iii) toughness.		
		•	(6 marks)	
	(b)	State:		
		(i) the composition of a ferrous metal;		
		(ii) any two examples of non-ferrous metals.		
			(4 marks)	
	(c)	Describe the following processes used in finishes and decorations:		
		(i) engineering;		
		(ii) etching.		
			(4 marks)	
	(d)	Outling the process of falantum lating		
	(u)	Outline the process of 'electroplating'.		
			(6 marks)	
601/	104	_		

2601/104 2602/104 2603/104

- 3. (a) Define the following terms with reference to workshop measurements:
 - (i) limits;
 - (ii) tolerance.

(2 marks)

(b) Explain the need for marking out a workpiece and state any two tools used.

(4 marks)

- (c) Describe the following techniques used to mark out a workpiece:
 - (i) scribing;
 - (ii) centre punching.

(4 marks)

- (d) Draw and label the following instruments:
 - (i) vernier callipers;
 - (ii) vernier height gauge.

(10 marks)

4. (a) (i) Table 1 shows series of standard wire gauge (SWG) and the corresponding thickness for sheet metals.

Table 1

Standard Wire Gauge (SWG)	Thickness (mm)
10	3.2
12	-
-	2.0
16	_
-	1.2
19	1.0
20	-

Fill in the corresponding values in the table.

(ii) A 19 SWG sheet metal is required to construct a cylinder with an outside diameter of 150 mm. Determine the length of the square sheet metal required.

(9 marks)



- (b) Explain the function of each of the following parts of a drilling machine:
 - (i) pillar;
 - (ii) spindle;
 - (iii) handwheel.

(3 marks)

- (c) Describe the following methods of joining metals:
 - (i) oxy-acetylene welding;
 - (ii) arc welding.

(4 marks)

(d) Distinguish between 'Three-Jaw Self Centering Scroll' and 'Four Jaw independent chucks' used to hold workpieces in a centre lathe machine.

(4 marks)




SECTION B

Answer any TWO questions from this section

- 5. Figure 1 shows a bracket. Draw full size in 1st angle projection the following views:
 - (a) front elevation in the direction of arrow F;
 - (b) end elevation in the direction of arrow E;
 - (c) plan in the direction of arrow P.


Insert six major dimensions.

(20 marks)






6. Figure 2 shows two views of a solid drawn in 1st angle projection. Draw an isometric view of the object making corner N the lowest. (20 marks)



- 7. Figure 3 shows a truncated cone. Draw the given view and add the following:
 - (i) the plan;
 - (ii) true shape;
 - (iii) the development of the cone.

(20 marks)



- 8. (a) Draw free hand sketches of the following hand tools:
 - (i) hacksaw;
 - (ii) side cutter;
 - (iii) flat screw driver;
 - (iv) flat file;
 - (v) tape measure.

(15 marks)

(b) Draw a regular hexagon given that the length across the flats is 70 mm.

(5 marks)