2705/201 2709/201 2707/201 2710/201

MATHEMATICS II AND SURVEYING II

June/July 2018 Time: 3 hours



## THE KENYA NATIONAL EXAMINATIONS COUNCIL

# DIPLOMA IN BUILDING CONSTRUCTION DIPLOMA IN CIVIL ENGINEERING DIPLOMA IN ARCHITECTURE

#### MODULE II

#### MATHEMATICS II AND SURVEYING II

3 hours

#### INSTRUCTIONS TO CANDIDATES

You should have the following for this examination:

Answer booklet:

Scientific calculator.

This paper consists of EIGHT questions in TWO sections; A and B.

Answer FIVE questions choosing at least TWO questions from section A, at least TWO questions from section B and ONE question from either section.

All questions carry equal marks.

Maximum marks for each part of a question are indicated.

Candidates should answer the questions in English.

This paper consists of 5 printed pages.

Candidates should check the question paper to ascertain that all the pages are printed as indicated and that no questions are missing.

© 2018 The Kenya National Examinations Council

Turn over

# SECTION A: MATHEMATICS II

Answer at least TWO questions from this section.

- 1. (a) Use Taylor's theorem to expand  $\cos(\frac{\pi}{6} + h)$  up to the third term and hence determine  $\cos(30.5^{\circ})$  correct to four decimal places. (8 marks)
  - (b) The equation of vibration of a system subject to external forces is given by:

$$2 \frac{d^2x}{dt^2} + 3 \frac{dx}{dt} - x = 6\cos 2t$$

Use the method of undetermined coefficients to solve the differential equation.

(12 marks)

- 2. (a) Given the complex numbers  $z_1 = -2 + j3$ , determine:
  - (i)  $z_1 + z_2 z_3$ ;

(ii) 
$$\frac{Z_1Z_1}{Z_1+Z_3}$$
. (5 marks)

- (b) Use Demoivre's theorem to show that  $\cos 4\theta = 8\cos^4 \theta 8\cos^2 \theta + 1$ . (5 marks)
- (c) Prove the hyperbolic identity:

$$\frac{1 - \tan hx}{1 + \tan hx} = e^{-2s}.$$
 (4 marks)

(d) Solve the equation  $2\cosh 2x - \sinh 2x = 4$ , correct to three decimal places.

(6 marks)

3. (a) Differentiate  $\frac{1}{x}$  from first principles.

(5 marks)

- (b) Find  $\frac{dy}{dx}$  for the functions:
  - (i)  $x^2 \sin^2 2x$ ;

(ii) 
$$xy^2 + y^2x^3 + 2 = 0$$
. (5 marks)

(c) Given that 
$$z = \cos(2x + 3y)$$
, show that  $\frac{d^2t}{dx^2} - \frac{d^2t}{dy^2} = 5z$ . (5 marks)

(d) Given that the volume of a cone is  $V = \frac{1\pi r^3}{3}h$ , determine the approximate change in volume if the radius increases from 5 cm to 6 cm and the height decreases from 4 cm to 3 cm. (5 marks)

(i) 
$$\int_0^1 x^3 e^{3x} dx$$
;

(ii) 
$$\int \frac{x^2+2}{(x+1)^2} dx$$
.

(12 marks)

- (b) (i) Sketch the region bounded by the curves  $\frac{y}{x^2} = 1$  and  $y + x^2 = 8$ .
  - (ii) Determine the volume of the solid produced in b (i) if it is rotated 360° about the x axis. (8 marks)

### SECTION B: SURVEYING II

Answer at least TWO questions from this section.

5. Using the following field observation abstracts and data, prepare a traverse bearing sheet.

(20 marks)

@A	H.	N.P.	
B: 2	37	01	06"
10.2	-	W.	00

#### **Datum Coordinates**

6. (a) With the aid of a sketch, show five elements of a curve.

(4 marks)

(b) A circular curve of 650 m radius is to connect two straights A BI and C DI at A and C respectively. The intersection point I is inaccessible and therefore the deflection angle is indeterminable. If the angles at A and △ and the distance BD are measured as follows:

ABD 155°50'

BDC136'12"

BD 550 m

Calculate the:

- tun singth = Rtung

  thord = 22009

  turve = 2009
- (i) distance of the tangent points from B and D on the respective straights;
- (ii) length of the final sub chord, if the curve is set out at 30 m interval taking the chainage at A to be 1200 m;
- (iii) deflection angles of the first suchord, standard chord and last sub chord.

(16 marks)

- 7. (a) Explain the following terms as applied to theodolite surveying:
  - (i) face right observations;
  - (ii) centering;
  - (iii) transiting;
  - (iv) swinging the telescope.

(6 marks)

- (b) Differentiate between temporary and permanent adjustments as applied to a theodolite. (4 marks)
- (c) Table 1 shows reduced distances and adjusted bearings of a traverse run between two known points TR1 and TR2. Given the datum coordinates of TR1 and TR2 as:

Station	- Northings (m)	- Eastings (m)
TRI /	250276.66	128783.92
TR2	249714.47	128325.37

Compute:

- The adjusted coordinates of the new traverse points N1, N2, N3 and N4 by Bowditch's method of adjustment.
- (ii) Traverse accuracy.

(10 marks)

Line	Adjusted bearing	Reduced distance (m)
NI-TRI	194"57'08"	129.54
NI-N2	39'28'11'	218.32
N3 - N2	219"31'10"	131.80
N3 - N4	43"37'19"	119.82
TR-N4	236"15"57"	144.19

743.67

8. (a) With the aid of a sketch, show that the mid-ordinate of the long chord of a simple circular curve is given by the expression  $R\left(1-\cos\frac{\theta}{2}\right)$  where:

R = Radius of curve and

 $\theta$  = deviation angle.

(4 marks)

- (b) A circular curve is to be set out with pegs at every 25 m continuous chainages between two straights intersecting at chainage 936.37 m. If the deflection angle of the curve is 32°14′50″ and the minimum distance of the curve from the intersection of the two straights is 36.5 m, calculate:
  - (i) the radius of the curve;
  - (ii) the chainage at the beginning and end of the curve;
  - (iii) the length of the long chord.

(10 marks)

- (c) Differentiate between each of the following terms:
  - (i) quadrantal bearing and whole circle bearing;
  - (ii) fore bearing and back bearing.

(6 marks)

THIS IS THE LAST PRINTED PAGE.